

Potentilla procumbens Sibth. p. - pulcherrima Lehm. p. - pyrenaica Ram. p. recta L. p. — β. laciniosa Koch p. — γ. obscura Lehm. p. — δ. pallida Lehm. p. - rupestris L. p. - supina L. a. - umbrosa Stev. p. Poterium muricatum Spach p. — β. stenolephum Spach p. Rosa acicularis Lindl. 1. - alpina L. 1. - cinnamomea L. 1. — gallica L. l. — nitida Lindl. 1. — rubrifolia Vill. β. livida Koch 1. - rugosa Thbg. 1. - tomentosa Sm. 1. Rubus fruticosus L. B. corylifolius Koch 1. — γ. laciniatus 1. Sanguisorba alpina Bnge. p. - dodecandra Moretti p. - media L. p. - sitchensis C. A. Mey. p. - tenuisolia Fisch. p. Sibbaldia procumbens L. p. Spiraea alba Duroi 1.. - bella Sims. 1. - callosa Thbg. 1. -- α. typica 1. -- B. alba 1. — γ. Foxi 1. - d. glabra 1. - - ε parviflora l. — – G. ruberrima 1. — η. semperflorens 1. - cana W. et K. 1. — B. savranica 1. — carpinifolia Willd. 1. -- var. rosea l. - chamaedrifolia L. 1. — β. ulmifolia 1. - confusa Rgl. et Kcke. 1.

— β. mollis Koch 1.

crenata Willd. 1.

Douglasi Hook. 1.

digitata W. p.

|| Spiraea laevigata L. 1. - lobata Murr. p. media Schmdt. 1. Nobleana Hook. 1 - oblongifolia W. et K. l. - obovata W. et K. 1. - opulifolia L. l. - Pallasi Rgl. et Tiling 1. - salicifolia L. l. — β. bethlemensis 1. - γ. Billardieri 1. — 6. eximia I. - - ε. Linneana 1. - - 4. rosea 1. — ξ. semperflorens 1. - tomentosa L. I. - triloba L. 1. — Ulmaria L. fol. variegatis p.

Amygdaleae.

Prunus lusitanica L. l. fr.

— Padus L. l.

— virginiana L. l.


Papilionaceae.


Abrus precatorius L. l. fr. Anthyllis Barba Jovis L. 1. fr. - tetraphylla L. a. Astragalus alopecuroides L. p. - Cicer L. p. - contortuplicatus L. p. - falcatus Lam. p. - glycyphyllos L. p. - hamosus L. a. - sulcatus L. p. Baptisia australis R. Br. p. Biserrula Pelecinus L. a. Boissiaea heterophylla Bth. 1. fr. Callistachys lanceolata Vent. 1. fr. - linearis Bth. 1. fr. Caragana arborescens Lam. 1. - frutescens D. C. 1. — — β. grandislora Rgl. 1. — γ. stipulis spinescentibus Rgl. 1. — jubata Poir. 1. — microphylla Lam. 1. - pygmaea D. C. 1. Cicer arietinum L. a.


Cytisus chrysobotrys F. et Mey. || Lupinus elegans H. B. K. a. — β. hybridus Rgl. a. - elongatus W. et K. 1. - nanus Bth. a. - filipes Webb 1. fr. - nootkaensis Don. p. - hirsutus L. 1. - polyphyllus Lindl. p. — var. subhirsutus p. - Laburnum L. 1. - pubescens Bth. a. — β. purpureus 1. Medicago aculeata W. a. catalo-- nigricans L. 1. — ratisbonensis Schaeff. β. nica Schrank a. - Biancae Tod. a. minor 1. Dolichos monachalis Brot. a. fr. -- ciliaris W. a. Dorycnium pentaphyllum Scop. p. - denticulata W. a. - falcata L. β. ambigua Ervum hirsutum L. a. — nigricans M. B. a. Trautv. p. — γ. versicolor Koch p. - parviflorum Bertol. a. - Terroni Ten sa Bota HCAL Gerardi W. et K. a.

tetraspermum L. a.

vicioides Desf. RGE ENGEL MANN Phigras W. a. Galega officinalis L. p. | -- nummularia D. C. a. - platycarpa Ledb. p. — — fl. albo p. - polycarpa Gr. et Godr. a. - orientalis Lam. p. — β. apiculata Gr. et Genista canariensis L. l. fr. - candicans L. l. fr. Godr. p. — β. subspicata Webb 1. fr. - radiata L. a. — γ. umbellata Webb 1. fr. - reticulata Bth. a. - congesta Lk. 1. fr. - scutellata All. a. - ramosissima Webb 1. fr. - sphaerocarpa Bertol. a. - suffruticosa Ram. p. - Spachiana Webb 1. fr. - tinctoria L. 1, - tornata W. a. -- tuberculata W. a. Glycine clandestina Wendl. 1. fr. - turbinata W. a. Goodia lotifolia Salisb. l. fr. Melilotus alba Desv. b. - medicaginea F. Müll. l. fr. Hedysarnm obscurum L. p. - coerulea Lam. a. - sibiricum Poir. p. - dentata Pers. b. - elegans Salzm. a. Lathyrus angulatus L. a. - macrorhiza Pers. b. - annuus L. a. - messanensis Desf. a. - Cicer L. a. - officinalis Lam. b. - Clymenum L. a. - pisiformis L. p. -- parviflora Desf. a. - ruthenica M. B. p. - purpureus Desf. a. - speciosa Durieu. a. - sativus L. a. - sylvestris L. p. Ononis hircina L. B. spinescens — tingitanus L. β. uniflorus Ledb. p. Ornithopus perpusillus L. \(\beta\). in-Ser. a. Lotus coimbricensis Brot. a. termedius Roth. a. Orobus lathyroides L. p. — corniculatus L. β. hirsu-— luteus L. β. orientalis F. tissimus p. et Mey. p. — γ. japonicus Rgl. p. Lupinus albus L. a. niger L. p. Barkeri Lindl. a. tuberosus L. p. — β. tenuifolius Koch p. bicolor Lindl. a.









WISSOURI BOTANICAL GARDEN WISSOURI BOTANICAL GARDENS GEORGE ENGELMANN PAPERS












MISSOURI BOTANICAT GARDEN GEORGE ENGELMANN PAPERS













MISSOURI BOTANICAL GARDEN GEURGE ENGELMANN PAPERS








0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



MISSOURI FORMICAL GARDEN









F. ENGLEMAN, M. D.,

MISSOURI BOTANICAI GARDEN LE RGE ENGELMANN PAPERS






0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL COPYRIGHT RESERVED GARDEN

MISSOURI BOTANICAL GARDEN.


CHRGE ENGELMANN PAPERS







copyright reserved cm


BOTANICAL GARDEN



WISSOURI BOTANICAL PAPERS









MISSOURI BOTANICAL GARDEN GERGE ENGELMANN PAPERS















MISSOURI BOTANICAY GARDEN CERRE ENGELMANN PAPERS










0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTATION PAPERS
GEORGE ENGELMANN PAPERS












MISSIURI BOTANICII PAPERS MISSIURI BOTANII PAPERS CEURGE ENGELMANII








5721

MISSOURI BOTANICAL CAPERS

Geo. Engelmann, M. D.,

No. 3003 Locust Street.







MISSOURI BOTANICAL GARDEN SE RGE ENGELMANN PAPERS en ironale "its Wo. 2600 Laclede Ave., S. W. Cor. Lesterson Ave., 'AHECHEL THE THE THE SET OF THE

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

- Ch. B. 36 Carpa amon wat nergy pubrate ifterstate Auguste All. stightly pelient Obrey, alder jubert in day Oaker, Marshart 11 - Al. Houst Tyon 592 EALED 9 affects extense brondbout shippelessin At 9 leftest, would tenout rominate) Chype mirrompe Coly 1872 if Jame a) god to me pormined any suleste Ohio, Much - an elonget mit, The shortes bothens, layer MISSOURI

BOTANICAL copyright reserved cm GARDEN 2. Ammia, Corpea villorys-beardet at the vifice; the lobes from water to linear, mistrosely complete, / Authors water er Meng lancesternervantense, Style filifornistigma capitate, appendaget un gut jundermeath by a reflexed membrande, Carpels many wuled, becoming plender tente and Mu tom end pliele, several suder. Sud Affindraceons. ollong oblignely trunkate at hotte end, pusked in a spigle pron; the coat Corky, Radifele superior. Iterbs, * Disk of 2 large glands afternate with the carpelsipleares opposite.



Carya alta has regulades & leaflets, niver more C. selvata 7 Conflots Commelos and C. porrine have for 5 tog leglet, off on Ima Tree 9. W Litterman My 5 1876




me D. MISSOURI BOTANICAL GARDENS

GEORGE ENGELMANN PAPERS Department of the Interior, Washington, May 10 4, 1876. I have the honor to send to nour address. bu mail this day, one MISSOURI BOTANICAL copyright reserved cm GARDEN

i Cake person only Anton Handel parisage sutten Mi Cagantin Any of The demonstration pully mit is any or








Hickoren Texana Le Conte Proceed. And Phil. 1853 od V1. 1. 402 a Ocuran und callented - Georgie for Lexan seeds Common Varian BORTH-SPAT COTHOR SOVERTH BRID Dires Streets, --Pharmaceutists and pruggists,--





cm